





LOC		DIST		REVISIONS			
GP	00	P	LTB	DESCRIPTION	DATE	DWN	APVD
		A		PROPOSED	23MAR2012	WS	RP



- 1 MATERIAL:  
CONTACT - PHOS BRONZE  
HOUSING - LCP, UL 94V-0, COLOR - BLACK
- 2 FINISH: CONTACT  
MATING AREA - 0.76µm MIN GOLD OVER 1.27µm MIN NICKEL  
COMPLIANT PIN AREA - 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL
- 3 CONNECTOR MARKED WITH PART NUMBER, DATE CODE AND STANDARD IN APPROXIMATE AREA SHOWN
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
- 6 REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESSES.



6  $\oplus$   $\ominus$   $\varnothing 0.05$  X Y  
 FINISHED HOLE SIZE AND PLATED THRU HOLES



O = SIGNAL  
 X = GROUND  
 RECOMMENDED PC BOARD LAYOUT BACKPLANE, COMPONENT SIDE SHOWN  
 SCALE 6:1

2187307-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: W. SOURBEER 23MAR2012	NAME: HEADER ASSEMBLY, OPEN ENDED, 4 PAIR 16 COLUMN TinMan	
DIMENSIONS: mm		CHK: R. PATTERSON 23MAR2012	PRODUCT SPEC: -	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: -	APPLICATION SPEC: -	
MATERIAL: $\triangle$		FINISH: $\triangle$	WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SIZE: A1	CAGE CODE: C=2187307	SCALE: 8:1