



NOTES:

1. MATERIAL: NYLON 6/6 UL 94 V-2 (RMS-047), COLOR: NATURAL
2. SPRING MATERIAL: 304 STAINLES STEEL (RMS-381)
3. DESIGNED TO SNAP LOCK INTO A Ø.122±.002 [Ø3.10±0.05] HOLE
4. INSERTS THROUGH A Ø.120-.140 [Ø3.05-3.5] HOLE IN HEATSINK
5. SPRING RATE: 7 LB/IN REF.
6. PART IS DESIGNED IN INCHES,
MILLIMETER CONVERSIONS ARE PROVIDED FOR REF ONLY

TITLE: HEAT SINK SPRING MOUNT RIVET				UNITS= IN [mm]	
CREATED USING SOLIDWORKS	FILE #: HSR-2	DWN: SK	APP: -	FINAL	
TOLERANCES UNLESS NOTED	SHEET: 1 OF 1	SHEET SIZE: A	DT: 05/04/11	CHKD: -	PART #
XX=±.010 .XXX=±.005 FRAC.=±1/64 ANG.=±1°	RE: RICHCO, INC. --	RICHCO, INC. WWW.RICHCO-INC.COM		HSR-2	PRINT TYPE CA

B	SEE CO 200690 FOR CHANGES	SK 07/08/2011
A	RELEASED FOR PRODUCTION	SK 06/30/2011
REV.	DESCRIPTION	ENGR. DATE