

## Upper part of housing - BC 17,8 OTU MKDSO KMGY - 2279732

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Upper part for installation housing BC, prepared for application of MKDSO connection method, width: 17.8 mm



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	22.0 GRM
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### General

Housing type	Installation component housing
Color	light gray

#### Ambient conditions

Ambient temperature (operation)	-40 °C (depending on power dissipation)
---------------------------------	---

#### Dimensions

Constructional height	53.5 mm
Width	17.8 mm

#### Technical data

Inflammability class according to UL 94	V0
Number of positions	12

# Upper part of housing - BC 17,8 OTU MKDSO KMGY - 2279732

## Classifications

### eCl@ss

eCl@ss 4.0	27141111
eCl@ss 4.1	27141109
eCl@ss 5.0	27141190
eCl@ss 5.1	27141190
eCl@ss 6.0	27141190
eCl@ss 7.0	27141190
eCl@ss 8.0	27141190

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC001031
ETIM 5.0	EC000886

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

UL Recognized / GOST

---

Ex Approvals

---

Approvals submitted


---

### Approval details

UL Recognized 
---

# Upper part of housing - BC 17,8 OTU MKDSO KMGY - 2279732

## Approvals



## Drawings

Dimensioned drawing

