

Specification Sheet

Part Number: T18RA50VO



Cable Tie for AT2000, 18lb Tensile Strength, PA66V0, White, 50/bandolier, 500/pkg

Article Number	120-04401
Type	T18RA50
Color	White (WH)
Features & Benefits	<ul style="list-style-type: none">• The AT2000 cable tie system is designed for automatic installation on bundles up to .75" and a minimum tensile strength of 18 lbs.• Available in reels of 5,000 each or bandoliers of 50 each.
Quantity Per	bag
Product Description	HellermannTyton offers the widest range of automatic cable tie tool systems which cover cable tie tensile strengths of 18, 30, and 50 pounds with bundle diameters between 1/16" to over 3". For use with HellermannTyton's Automatic Tool Systems.
Short Description	Cable Tie for AT2000, 18lb Tensile Strength, PA66V0, White, 50/bandolier, 500/pkg

Global Part Name

T18RA50-PA66V0-WH

Technical Description

Cable Tie for AT2000, White, 50/bandolier

Minimum Tensile Strength (Imperial)

18.0

Minimum Tensile Strength (Metric)

80.0

Length L (Imperial)

4.0

Length L (Metric)

4.8

Width W (Imperial)

0.1

Width W (Metric)

2.5

Bundle Diameter Min (Imperial)

0.03

Bundle Diameter Min (Metric)

0.7

Bundle Diameter Max (Imperial)

0.75

Bundle Diameter Max (Metric)

20.0

Thickness T (Imperial)

0.043

Thickness T (Metric)

1.1

Power supply unit

Electrical

Material	Polyamide 6.6 V0 (PA66V0)
Material Shortcut	PA66V0
Flammability	UL 94 V0
Halogen free	Yes
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
ROHS Complaint	Yes
Certification/Specification WEB	UL ANSI/UL 62275 UL ANSI/UL 1565
UL Recognized (US)	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909987