




LOC	DIST	REV	DESCRIPTION	DATE	ENR	APVD
AA	22	F	REVISED; EC OUI1C-0088-01	07MAR01	DL	DECL



**MATERIAL:**  
 HOUSING - PCT POLYESTER, BLACK, UL94V-0.  
 OVERMOLDED TERMINAL ARRAY - PBT, BROWN.  
 TERMINALS - 0.33 [.013] THICK PHOS BRONZE PLATED WITH 1.27µm [.000050] MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 3.81µm [.000150] MINIMUM THICK TIN-LEAD IN SOLDER AREA OVER 1.27µm [.000050] MINIMUM THICK NICKEL UNDERPLATE.  
 SHIELD - 0.25 [.010] THICK COPPER ALLOY PLATED WITH 2.03µm [.000080] MINIMUM TIN-LEAD OVER 2.54µm [.000100] MINIMUM COPPER.

**JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.**



PC BOARD LAYOUT VIEWED FROM COMPONENT SIDE SCALE 2:1

DIMENSIONS: mm [INCHES] TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.25 [.010] 3 PLC ±0.13 [.005] 4 PLC ± ANGLES ±		DWG: I. SPRINKLE 6-09-95 CHK: C. WHITT 6-23-95 APPVD: J. VARSIK 6-30-95 PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	NAME: STACKED MODULAR JACK ASSEMBLY, 2x8 PORT, 8 POSITION, SHIELDED, PANEL GROUND, CATEGORY 5 SIZE: A1 CAGE CODE: 00779 DRAWING NO: C-569264 SCALE: 4:1 SHEET: 1 of 1 REV: F	569264-1 PART NUMBER AMP Incorporated Harrisburg, PA 17105-3608
--	--	---	--	--