

## HC-B 24-AMLD

Order No.: 1771943



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1771943>

HEAVYCON panel mounting base B24, with single locking latch,  
height 27 mm, with cover

### Commercial data

EAN	4017918036621
Pack	10 pcs.
Customs tariff	85389099
Weight/Piece	0.1806 KG
Catalog page information	Page 497 (PC-2009)

### Product notes

WEEE/RoHS-compliant since:  
03/01/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General data

Note	For contact inserts HC-B24, BB46, D64, DD108, M
Design	B24
Height	27 mm
Width	43 mm
Length	140 mm

Housing type	Panel mounting base with cover
Locking type	With single locking latch
Protective cover	Yes
Degree of protection	IP65 protection when the connector is inserted
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Seal material	NBR
Locking latch material	High-grade steel, handle: PA-GF
Material grip body interlock	PA-GF
Material, protective cover	PA
Length of the assembly cutout	113 mm
Width of the assembly cutout	35 mm

**Certificates / Approvals**




Certification


GOST

**Diagrams/Drawings**

Dimensioned drawing



Dimensional drawing



Panel cutout

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;